EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	2	("6393587").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/11/05 15:34
S1	506	(714/39).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/11/05 11:41
S59	14	buffer near4 control same overwrit$4 same protect$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/03 13:56
S60	4042	(bus logic) near4 analyzer	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/03 13:57
S61	1037	(bus logic) near4 analyzer with (captur$4 stor$4 receiv$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/03 13:58
S62	657	(bus logic) near4 analyzer near4 (captur$4 stor$4 receiv$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/03 13:58
S63	601	(bus logic) near4 analyzer near4 (captur$4 stor$4 receiv$4) and (time clock interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/03 13:58
S64	587	(bus logic) near4 analyzer near4 (captur$4 stor$4 receiv$4) and (time interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/03 13:59
S65	586	(bus logic) near4 analyzer near4 (captur$4 stor$4 receiv$4) and (time)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/03 13:59
S66	179	(bus logic) near4 analyzer near4 (captur$4 stor$4 receiv$4) same (time)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/03 13:59
S67	0	(bus logic) near4 analyzer near4 (captur$4 stor$4 receiv$4) same (fix$4 with (time interval))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/03 13:59

S68	72	(bus logic) near4 analyzer near4 (captur$4 stor$4 receiv$4) and (fix$4 with (time interval))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 00:58
S69	2	("7070891").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/03 14:02
S70	2	("7170891").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/03 14:02
S71	657	(bus logic) near4 analyzer near4 (captur$4 stor$4 receiv$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 01:02
S72	586	S71 and time	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 01:03
S73	300	S71 and frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 01:04
S74	4440215	S71 and frequency wit fix$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 01:04
S75	395	S71 and (frequency wit fix$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 01:04
S76	39	S71 and (frequency with fix$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 01:24
S77	5	control with port and user with defin$4 with pattern and fix$3 with frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 01:29
S78	3	analyzer with captur$4 and trigger$4 with event$2 with fix$3 with (frequency time)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 01:32

EAST Search History

S79	4	analyzer with captur$4 and trigger$4 with fix$3 with (frequency time)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 01:32
S80	170	analyzer and trigger$4 with fix$3 with (frequency time)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 01:32
S81	42	analyzer same trigger$4 with fix$3 with (frequency time)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 02:30
S82	30	analyzer same trigger$4 with latch	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 02:39
S83	3	analyzer same trigger$4 same latch same match	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 02:34
S84	1	analyzer same trigger$4 with latch with match$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 02:40
S85	1	analyzer same trigger$4 same latch with match$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 02:40
S86	3	analyzer same trigger$4 same latch same match$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 02:40
S87	32	analyzer and trigger$4 same latch same match$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/05 02:40
S88	2	("6687856").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/08 17:47
S89	519	trigger$4 with latch with address$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/09 17:17

S90	1	trigger$4 with latch with address$4 and replay$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/09 17:17
S91	308	trigger$4 with address$4 and replay$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/09 17:17
S92	221	trigger$4 with address$4 and replay$4 and match$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/09 17:18
S93	10	trigger$4 with address$4 same replay$4 same match$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/09 17:20
S94	9	trigger$4 with address$4 same replay$4 and multiple with match$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/09 17:34
S95	397	trigger$4 with timestamp	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/09 17:34
S96	207	replay$4 with timestamp	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/09 17:34
S97	2	replay$4 with timestamp with analyz$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/09 17:37
S98	0	("9568090").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/09 17:35
S99	2	("6724918").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT . ; IBM_TDB	OR	OFF	2007/08/09 17:36
S100	12	replay$4 with timestamp with counter	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/09 17:53

EAST Search History

S101	2	("6769054").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/08/09 17:54
S102	143	"memory order buffer"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/14 15:24
S103	27	"memory order buffer" and replay$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/14 17:18
S104	2179	protocol with analyzer	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/14 17:18
S105	1367	protocol near4 analyzer	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/14 17:20
S106	161	protocol near4 analyzer and timestamp	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/14 17:21
S107	81	protocol near4 analyzer and timestamp and counter	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/14 17:21
S108	27	protocol near4 analyzer and timestamp same counter	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/14 17:21
S109	17	protocol near4 analyzer and timestamp with counter	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/08/14 17:21
S110	20	(US-20050203720-$ or US-20050060132-$ or US-20040139132-$).did. or (US-6826717-$ or US-6912673-$ or US-6687856-$ or US-6142683-$ or US-5941995-$ or US-6789217-$ or US-6792563-$ or US-5956476-$ or US-6732307-$ or US-7043718-$ or US-6769054-$ or US-6557119-$ or US-6928108-$ or US-7170891-$ or US-7114111-$ or US-6463522-$).did. or (US-5941926-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/10/03 09:49
S111	17	S110 and analyzer	US-PGPUB; USPAT; DERWENT	OR	ON	2007/10/03 09:49
S112	17	S110 and analyzer and time	US-PGPUB; USPAT; DERWENT	OR	ON	2007/10/03 09:49

S113	8	S110 and analyzer and frequency	US-PGPUB; USPAT; DERWENT	OR	ON	2007/10/03 09:52
S114	8	S110 and analyzer and frequency and time	US-PGPUB; USPAT; DERWENT	OR	ON	2007/10/03 09:52
S115	5455	(logic bus) near4 analyzer	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/10/03 16:05
S116	326	(logic bus) near4 analyzer and replay	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/10/03 16:05
S117	3	(("0711411") or ("20010016925")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/10/29 08:22
S118	2	("7114111").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/10/29 08:32
S119	2	("6236694").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/10/29 08:33
S120	2	("7114111").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/10/29 08:33
S121	2	("20010016925").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/10/29 19:11
S122	1	analyzer with command with addresses with data with assertion$2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/10/29 19:12
S123	1	analyzer same (command with addresses with data with assertion$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/10/29 19:12
S124	1	analyzer and (command with addresses with data with assertion$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/10/29 19:12

S125	3	analyzer and (command with addresses with assertion$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/10/29 19:43
S126	1	analyzer with (command same assertion$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/10/29 19:43
S127	3	analyzer same (command same assertion$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/10/29 19:44
S128	1	(event with type) same (command with assertion$2 with address$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/10/29 19:45
S129	1	(event with type) same (command same assertion$2 same address$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/10/29 19:45
S130	56	(event with type) and (command same assertion$2 same address$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/10/29 23:25
S133	33368	(event near4 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/10/29 23:26
S135	2	(event near4 type) with (assertion$2 and address$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/10/29 23:28
S136	34	(event near4 type) with (command and address$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/10/29 23:32
S137	769	trigger with sequencer	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/10/29 23:33
S138	482	trigger near4 sequencer	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/10/29 23:33

S139	71	trigger near4 sequencer and analyzer	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/10/30 12:10
S140	7	(("6985843") or ("6918065") or ("6665821")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/10/30 12:11
S141	0	("2006/0153195").URPN.	USPAT	OR	ON	2007/10/30 12:23
S142	8	(("5335253") or ("6105087") or ("6486809") or ("6725442")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/10/30 12:24
S143	20	replay with logic with match$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/02 14:56
S144	3	replay with logic with match$4 with pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/02 14:58
S145	3	(replay with logic) same (match$4 with pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/02 14:59
S146	24	(replay) same (match$4 with pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/02 14:59
S147	9	(replay) with (match$4 with pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/02 14:59
S148	1	analyzer with command with data with assertion$2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/05 11:42
S149	1026	analyzer with command with data	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/05 11:42
S150	319	analyzer with command with data with signal$2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/05 11:42

S151	28	analyzer with command with data with signal$2 with select$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/05 11:46
S152	26	analyzer with assertion$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/05 11:58
S153	2	("20010016925").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/11/05 11:58